

HyAxiom PEM Electrolyzer products provide high power density and scalable technology that connect to renewable power resources to generate 100% green hydrogen

### Flexible Operating Modes

Load following and demand following operating modes are available

### Remote Monitoring & Control

Industry leading remote monitoring and data analytics maximize product efficiency and uptime

### Modular & Scalable

Hydrogen and water processing equipment and installations that scale with application needs

## SYSTEM HIGHLIGHTS

### HYDROGEN PRODUCTION

H <sub>2</sub> Production Rate .....	431.5 kg/day/MW (200 Nm <sup>3</sup> /hr at 0°C, 1 atm)
System Efficiency @ BOL .....	52.6 kWh/kg H <sub>2</sub> (74.9% HHV)
H <sub>2</sub> Product Purity .....	99.99+%
H <sub>2</sub> Product Pressure .....	30 barg



### OPERATING CHARACTERISTICS

Start Time from Standby.....	<5 mins
Ramp Time to Full Capacity .....	10 sec
Turndown Capability .....	<10%

### ENVIRONMENTAL CHARACTERISTICS

Ambient Operating Temp .....	-20°C to 40°C (option for 50°C)
------------------------------	---------------------------------

### WATER MANAGEMENT CHARACTERISTICS

Water Supply Quality.....	Potable Water
Water Consumption .....	<4.5 L/min/MW
Water Discharge .....	<1.6 L/min/MW

### SITE ELECTRICAL INTERFACES

Supply Power .....	380V nom (transformer up to 35kV), 50/60 Hz
Power Quality .....	0.9 PF, <5% THD


### CODES AND STANDARDS

- ISO 22734: Hydrogen generators using water electrolysis
- ANSI/CSA B22734 (planned): Hydrogen generators using water electrolysis


## SYSTEM DIMENSIONS (1MW system-Please enquire about dimensions for larger scale configuration)

### Electrolysis Module


Dimensions in ft (mm)



### Cooler Module (Glycol Coolant)



### Chiller Module (Glycol Coolant)



### Power Conditioning Hardware

Transformer .....	10.5 (3200) W x 4.7 (1422) L x 8.5 (2578) H
Rectifier .....	3.3 (1000) W x 5.4 (1635) L x 7.3 (2225) H
Switchgear .....	3 (914) W x 4 (1207) L x 7.6 (2324) H
DC Enclosure .....	3 (914) W x 1.1 (325) L x 6 (1829) H

**HyAxiom, Inc.** Corporate Headquarters (860) 727-2253  
 101 East River Drive email: sales@doosan.com  
 East Hartford, CT 06108 www.hyaxiom.com

The manufacturer reserves the right to change or modify, without notice, the design or equipment specifications without incurring any obligation either with respect to equipment previously sold or in the process of construction. The manufacturer does not warrant the data on this document.

